


WS 2 - Le Châtelier's Principle

1. Nitrogen monoxide, a major air pollutant, is formed in automobile engines from the endothermic reaction of nitrogen gas and oxygen gas.
 - a) Write the equilibrium reaction equation including the term "energy" in the equation.
 - b) What is the direction of the equilibrium shift if the concentration of oxygen is increased?
 - c) What is the direction of the equilibrium shift if the pressure is increased?
 - d) What is the direction of the equilibrium shift if the temperature is decreased?
 - e) Gasoline burns better at higher temperatures. What is one disadvantage of operating automobile engines at higher temperatures?

2. In a sealed container, nitrogen monoxide gas and oxygen gas react to form nitrogen dioxide gas and are allowed to come to equilibrium. The reaction of nitrogen monoxide and oxygen is exothermic.
 - a) Write the equilibrium reaction equation including the term "energy" in the equation.
 - b) What is the direction of the equilibrium shift if the temperature is decreased.
 - c) What is the direction of the equilibrium shift if the $[\text{NO}_{(g)}]$ is decreased.
 - d) What is the direction of the equilibrium shift if the $[\text{NO}_{2(g)}]$ is increased.
 - e) What is the direction of the equilibrium shift if the volume of the system is decreased.

3. The following is an equilibrium mixture:



Predict the colour change in the mixture when each of the following changes is made:

- a) a crystal of $\text{KSCN}(\text{s})$ is added to the system
- b) a crystal of $\text{FeCl}_3(\text{s})$ is added to the system
- c) a crystal of $\text{NaOH}(\text{s})$ is added to the system

1. Use Le Châtelier's Principle to describe the effect of the following changes on the position of the equilibrium:

A. The equilibrium is: $\text{N}_2\text{O}_3(\text{g}) \rightleftharpoons \text{NO}(\text{g}) + \text{NO}_2(\text{g})$

- increase the $[\text{NO}]$
- increase the $[\text{N}_2\text{O}_3]$
- add a catalyst
- increase the pressure by decreasing the volume

B. The equilibrium is: $2 \text{H}_2(\text{g}) + 2 \text{NO}(\text{g}) \rightleftharpoons \text{N}_2(\text{g}) + 2 \text{H}_2\text{O}(\text{g})$

- decrease the $[\text{N}_2]$
- decrease the pressure by increasing the volume
- decrease the $[\text{NO}]$

C. The equilibrium is: $2 \text{CO}(\text{g}) + \text{O}_2(\text{g}) \rightleftharpoons 2 \text{CO}_2(\text{g}) + 566 \text{ kJ}$

- increase the temperature
- add a catalyst
- increase the $[\text{O}_2]$

D. The equilibrium is: $\text{I}_2(\text{g}) + \text{Cl}_2(\text{g}) \rightleftharpoons 2 \text{ICl}(\text{g}) \Delta\text{H} = +35.0 \text{ kJ}$

- decrease the temperature
- decrease the $[\text{Cl}_2]$
- increase the pressure by decreasing the volume

2. Describe the effect (increase, decrease or no change) on the concentration of the bold-faced substance by each of the given changes.

A. The equilibrium is: $\text{N}_2(\text{g}) + \mathbf{3 \text{H}_2(\text{g})} \rightleftharpoons 2 \text{NH}_3(\text{g}) \quad \Delta\text{H} = -92.0 \text{ kJ}$

- increase the $[\text{N}_2]$
- increase the volume
- increase the temperature
- add a catalyst

B. The equilibrium is: $2 \text{HF}(\text{g}) \rightleftharpoons \mathbf{\text{F}_2(\text{g})} + \text{H}_2(\text{g}) \quad \Delta\text{H} = +536.0 \text{ kJ}$

- decrease the $[\text{H}_2]$
- decrease the volume
- decrease the temperature

C. The equilibrium is: $\text{SnO}_2(\text{s}) + 2 \text{CO}(\text{g}) \rightleftharpoons \text{Sn}(\text{s}) + \mathbf{2 \text{CO}_2(\text{g})} \quad \Delta\text{H} = +13.0 \text{ kJ}$

- increase the $[\text{CO}]$
- add a catalyst
- increase the temperature

3. Show the equilibrium adjustment in each of the following situations graphically:

***Note that the relative positioning of the molecules is not relevant

A. The equilibrium is: $\text{H}_2(\text{g}) + \text{I}_2(\text{g}) \rightleftharpoons 2 \text{HI}(\text{g}) + 52 \text{ kJ}$

- a) increase the temperature
- b) decrease the volume
- c) inject some $\text{H}_2(\text{g})$
- d) add a catalyst

B. The equilibrium is: $2 \text{SO}_2(\text{g}) + \text{O}_2(\text{g}) \rightleftharpoons 2 \text{SO}_3(\text{g}) \quad \Delta H = -197.0 \text{ kJ}$



- a) inject some $\text{SO}_2(\text{g})$
- b) decrease the temperature
- c) increase the volume
- d) increase the $[\text{SO}_3(\text{g})]$

C. The equilibrium is: $\text{CO}(\text{g}) + \text{H}_2\text{O}(\text{g}) \rightleftharpoons \text{CO}_2(\text{g}) + \text{H}_2(\text{g}) \quad \Delta H = -41.0 \text{ kJ}$

- a) inject some $\text{CO}_2(\text{g})$
- b) remove some $\text{CO}_2(\text{g})$
- c) increase the temperature
- d) decrease the pressure by increasing the volume

4. Interpret the following graphs in terms of the changes which must have been imposed on the equilibrium:

A. The equilibrium is: $\text{PCl}_5(\text{g}) + 92.5 \text{ kJ} \rightleftharpoons \text{PCl}_3(\text{g}) + \text{Cl}_2(\text{g})$



B. The equilibrium is: $\text{H}_2\text{O}(\text{g}) + \text{Cl}_2\text{O}(\text{g}) \rightleftharpoons 2 \text{HOCl}(\text{g}) + 70 \text{ kJ}$

